

Sysadmin

The start of a sysadmin namespace template.

Subcategories:

A

- [Applications](#)

B

- [Backups](#)

G

- [Group Policy](#)

H

- [Hardware](#)

L

- [Licensing](#)

N

- [Network](#)

P

- [Policies](#)

S

- [Security Controls](#)
- [Servers](#)
- [Support](#)

Explanation

General Documentation suggestions

- <https://thepracticalsysadmin.com/how-to-do-internal-documentation/>

Useful Plugins

Switches

- <https://www.dokuwiki.org/plugin:switchpanel>

- <https://www.dokuwiki.org/plugin:editable>

Tables

- <https://www.dokuwiki.org/plugin:tablewidth>

ToDo List

- <https://www.dokuwiki.org/plugin:todo> (old)
- <https://www.dokuwiki.org/plugin:task> (new/modern)
- <https://www.dokuwiki.org/plugin:do> (requires <https://www.dokuwiki.org/plugin:sqlite>)

Templates

Über die Weboberfläche editierbare Templates.

- <https://www.dokuwiki.org/plugin:templatepagename>

Examples

Some examples can be found, a example template in In-House and one example for software under Open Source.

```
-Applications
--In-House
---Template
---Open Source
---Keepass
--Policies
```

Templates

A “*template.txt*” is for current the namespace/category its in and a %%“_template.txt”%% is for the current namespace/category and every other one below. If a new Site is created the following template is used:

```
===== @!PAGE@ =====
Description of this namespace. \\
<nspages -h1 -subns -exclude -textNS="Subcategories:" -textPages="Pages in
this subcategory:" -hideNoPages -hideNoSubns>
```

Lists

List as used above (“Subcategory:” and “Pages in this subcategory:”) while hiding if one of this two

points is empty.

```
<nspages -h1 -subns -exclude -textNS="Subcategories:" -textPages="Pages in  
this subcategory:" -hideNoPages -hideNoSubns>
```

From:
<https://www.natrius.eu/dokuwiki/> - **Natrius**



Permanent link:
<https://www.natrius.eu/dokuwiki/doku.php?id=sysadmindoku:start>

Last update: **2018/09/17 14:50**